


S501**1" System Retractable Corrosion or Scale Coupon Holder**

1" System Coupon Holder are designed to be specifically compatible with Retractable Scale or Strip Coupon. Ideal for locations where pigging or flow disturbance is not a concern, strip coupon holders can be mounted to allow for monitoring at top, middle and bottom of line positions or in liquid trap assemblies. With the use of the BCORMON low pressure access fitting and retractor, the retractable coupon holder allows for easy, rapid changing of coupons without system shutdown.



Pic. 5.b. Retractable Coupon Holder System

The 1" Coupon system may be located at any position on the line depending on the specific site conditions, allowing the coupons to be placed in the desired monitoring location. We also provide the customize product.

Ordering Procedure

How to Order 1" System Coupon Holder

Model	1" System Coupon Holder
S501	1" System Retractable Coupon Holder

Code	Connection
50	½" NPT Connection
75	¾" NPT Connection
100	1" NPT Connection
200	2" NPT Connection
For other optional connection, consult BCORMON	

Code	Order Length
18	18 inch
24	24 inch
30	30 inch
36	36 inch


Code	Safety Clamp Option
0	No Safety Clamp
1	With Safety Clamp

S501	100	18	1
-------------	------------	-----------	----------

Example : **S501-100-18-1** → Retractable Coupon Holder with 1" NPT Connection for length 18.00" complete with bleed valve and safety clamp.

S502**1" System Retractable Sampling**

This model can use for chemical injection or sampling fluid. Working pressure up to 1500 psi and temperature up to 260 deg Celcius. Insertion the tube can be adjusted to permit injection / sampling at precisely the desire point within the process fluid.



Pic. 5.c. Retractable Sampling System

Standard lengths are available in 18, 24, 30, and 36 inches. This model also available in ½ , ¾, 1 and 2 inches NPT connection. The ¼" female NPT on the injection tube allows you to install a quill or chose various nozzle configuration.

We also provide the customize product.

Ordering Procedure

How to Order 1" System Chemical Injection

Model	1" System Chemical Injection
S502	1" System Retractable Chemical Injector

Code	Connection
50	½" NPT Connection
75	¾" NPT Connection
100	1" NPT Connection
200	2" NPT Connection
For other optional connection, consult BCORMON	

Code	Order Length
18	18 inch
24	24 inch
30	30 inch
36	36 inch


Code	Safety Clamp Option
0	No Safety Clamp
1	With Safety Clamp

S503	100	18	1
-------------	------------	-----------	----------

Example : **S503-100-18-1** → Retractable Chemical Injection with 1" NPT Connection for length 18.00" complete with bleed valve and safety clamp

S503**1" System Retractable Chemical Injection**

This model can use for chemical injector or sampling fluid. This model work at pressure up to 1500 psi and temperature up to 260 deg Celcius. Insertion the tube can be adjusted to permit injection / sampling at precisely the desire point within the process fluid.



Pic. 5.d. Retractable Chemical Injection System

Standard lengths are available in 18, 24, 30, and 36 inches. This model also available in ½, ¾, 1 and 2 inches NPT connection. The ¼" female NPT on the injection tube allows you to install a quill or chose various nozzle configuration.

We also provide the customize product.

Ordering Procedure

How to Order 1" System Chemical Injection

Model	1" System Chemical Injection
S503	1" System Retractable Chemical Injection

Code	Connection
50	½" NPT Connection
75	¾" NPT Connection
100	1" NPT Connection
200	2" NPT Connection

For other optional connection, consult BCORMON

Code	Order Length
18	18 inch
24	24 inch
30	30 inch
36	36 inch

Code	Safety Clamp Option
0	No Safety Clamp
1	With Safety Clamp


S503	100	18	1
-------------	------------	-----------	----------

Example : **S503-100-18-1** → Retractable Chemical Injection with 1" NPT Connection for length 18.00" complete with bleed valve and safety clamp

S504

2”&1” System Retractable Corrosion or Scale Coupon Holder

2”&1” System Coupon Holder are designed to be specifically compatible with Retractable Scale or Strip Coupon. The system equal with coupon holder catalog above



Pic. 5.e. Retractable Stick Coupon Holder

The 2”&1” Coupon system may be located at any position on the line depending on the specific site conditions, allowing the coupons to be placed in the desired monitoring location. We also provide the customize product.

Ordering Procedure

How to Order 2”&1” System Corrosion or Scale Coupon Holder

Model	2”&1” System Retractable Holder
S504	2”&1” System Retractable Holder

Code	Connection
50	½” NPT Connection
75	¾” NPT Connection
100	1” NPT Connection
200	2” NPT Connection
For other optional connection, consult BCORMON	

Code	Order Length
18	18 inch
24	24 inch
30	30 inch
36	36 inch

Code	Safety Clamp Option
0	No Safety Clamp
1	With Safety Clamp

S504	200	18	1
-------------	------------	-----------	----------

Example : **S504-200-18-1** →Retractable Coupon Holder with 2” NPT Connection for length 18.00” complete with bleed valve and safetv clamp.

Web : www.bcormon.com
 Email : info@bcormon.com



BCORMON Corrosion Monitoring System